	Application No.	Applicant(s)
Notice of Allowability	09/666,449	YOKONUMA, NORIKAZU
	Examiner	Art Unit
	Gevell Selby	2615
The MAILING DATE of this communication apperation apperation allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with (OR REMAINS) CLOSED in or other appropriate communication is su	this application. If not included nication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>the amendment filed</u>	on July 11, 2005.	
2. The allowed claim(s) is/are <u>1-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority use a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		r (f).
2. Certified copies of the priority documents have		n No.
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date	·	
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Inf	ormal Patent Application (PTO-152)
2. \square Notice of Draftperson's Patent Drawing Review (PTO-948)		ımmary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./r 08), 7. ☐ Examiner's /	Mail Date Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	Statement of Reasons for Allowance
of Biological Material	9. 🔲 Other	

Art Unit: 2615

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-20 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

In regard to claims 1-19, the prior art does not disclose the combination of limitation of the claimed invention, specifically the limitations of:

a recording signal output circuit that repeatedly stores electrical charges at said image-capturing element and reads out image data from said image-capturing element to store said image data at said buffer memory unit when either continuous shooting mode has been set by said continuous shooting setting unit and compresses and outputs image data corresponding to a frame which has been read out from said buffer memory unit immediately before, while electrical charges for the next frame are being stored during, at least, a period of time in which said second continuous shooting mode has been set, as claimed in claim 1.

In regard to claim 20, the prior art does not disclose the combination of limitation of the claimed invention, specifically the limitations of:

a recording signal output circuit that repeatedly stores electrical charges at said image-capturing element and reads out image data from said image-capturing element to store said image data at said buffer memory unit when said continuous shooting mode has been set by said single shot/continuous shooting setting unit and compresses and outputs image data corresponding to a frame read out from said buffer memory unit immediately

Art Unit: 2615

before, while electrical charges are being stored for the next frame as claimed in claim 20.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 2004/0056960, discloses an electronic camera with a single shot operation, continuous shooting operation, and high-speed continuous shooting operation.

US 6,876,393, discloses an electronic camera with single shot, continuous, and high-speed continuous modes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gevell Selby whose telephone number is 571-272-7369. The examiner can normally be reached on 8:00 A.M. - 5:30 PM (every other Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on 571-272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/666,449

Art Unit: 2615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gvs

Page 4